

TEXT AMENDMENTS UPDATE

DPO 9 TREE PRESERVATION, LANDSCAPING, & SCREENING



PURPOSE

Healthy, Mature Canopy

Improve/Calibrate Standards

Preserve, Protect, Enhance

Enduring Compliance

OVERVIEW

- **Work Plan Progress**
 - » Completed Sections/Topics
 - 9.1, 9.2, 9.4, 9.5, 9.9, 9.10
 - » Remaining Sections/Topics
 - 9.3 + Tree Canopy Study
 - 9.6, 9.7, 9.8
- **Next Steps**

COMPLETED SECTIONS

- **9.1 Purpose & Intention**
 - » Aspirations
 - » Reordered: Goals, Enviro. Impacts, Aesthetics
- **9.2 Applicability & Administration**
 - » Arborist Role Envisioned
 - » Clear, Consistent Documentation
 - » Bond, Inspections, Replacement Criteria

COMPLETED SECTIONS

- **9.4 Street Tree Plantings**
 - » Rigorous yet Flexible (Exs. 25-30' Avg., 8' Strip)
 - » Ref. Standards (Am. Std. for Nursery Stock)
- **9.5 Site Landscaping**
 - » Ensures Doc. Consistency
 - » Est. Min. Planting Area Standards for Bldgs
 - » Minimal Adjustments

COMPLETED SECTIONS

- **9.9 Alt. Methods of Compliance**
 - » Relocated from Start of DPO 9
 - » Titles Added for Clarity, Doc. Standards
- **9.10 Planting Specifications & Appendices**
 - » Docs. Revised/Updated by Livability Board
 - » Includes Ref. to Guidelines
 - » Adaptable – Can Respond to Blight, Etc.

REMAINING SECTIONS

- **9.3 Tree Coverage & Preservation**
 - » Review of Comparable Ordinances (14)
 - » Tree Canopy Study - Underway
 - » Violations
- **9.6 Parking Area Landscaping**
 - » Covers Existing + New Parking Lots
 - » Minimal Adjustments Anticipated

REMAINING SECTIONS

- **9.7 Screening**
 - » Covers Special Circumstances
 - » Minimal Adjustments Anticipated
 - Eliminate Redundancies with DPO 4.3.1.E
- **9.8 Installation & Maintenance Standards**
 - » Covers Misc. Topics
 - » Minimal Adjustments Anticipated

NEXT STEPS

Continued Research/Sustained PBOC Engagement

Tree Canopy Study Completion

Planning/Livability Board Review

Additional Modifications

Public Hearing

Planning Board Recommendation

BOC Consideration of Approval